

Designed to provide slip resistance to existing steps.

Manufactured from tough, hard wearing and durable GRP, incorporating a quartz or ToughGrip (fine grit option) gritted anti-slip surface.

Quick and easy to install, our Anti-Slip Stair Nosing offers a cost effective, long term solution to help comply with the final stage of the Disability Discrimination Act, with particular reference to the visually impaired.

The DDA act indicates that all stairs accessed by members of the public should have a contrasting colour nosing fitted to all step edges and in addition such stair nosings should provide a slip resistant surface particularly when wet.

For wet, frosty and oily conditions, Anti-Slip Stair Nosings will last for many years, outperforming many short term tape solutions.

Supplied with a choice of medium grit or fine grit, undrilled or predrilled.

Our product features:

- Rated extremely low potential for slip.
- Tested anti-slip to BS7976.2.
- 10 year guarantee.
- Chamfered back edge flush fit.
- Quick and easy to install.
- Indoor or outdoor use.
- FREE cut to size service.
- FREE predrilling service.
- Tough, hardwearing and durable GRP - lasts for years.
- Corrosion resistant.
- Impact resistant.
- Light weight.
- UV stable.
- Non metallic.
- In medium grit and fine grit.

Benefits:

- Helps create a safer environment.
- Fits to existing stairs.
- Can be applied to nearly any substrate.
- Stairs can be used immediately after installation.

Compliance:


- DDA Compliant
- Regulation for new build compliant.

Our 10 Year Manufacturer's Guarantee:

Should any manufacturing defects occur within 10 years of purchase, we will replace free of charge.



DDA compliant, helps create a safer environment.



Anti-Slip Stair Nosings fit to the front of the step.



Offering colour differentiation and an anti-slip solution.

For prices, a free sample or to buy online visit: www.SafeTread.co.uk
or call **01206 227 660** to speak to our specialist team.



Anti-Slip Stair Nosing

Stock sizes

600 x 55 x 55mm
750 x 55 x 55mm
1000 x 55 x 55mm
1200 x 55 x 55mm
1500 x 55 x 55mm
1800 x 55 x 55mm
2000 x 55 x 55mm
2400 x 55 x 55mm
3000 x 55 x 55mm

Thickness

Approx. 4mm.

Weight

Approx. 0.76kg/linear metre.

Cut to your sizes - free of charge.

Don't want to cut them yourself?
We'll cut to your sizes, FREE of charge.


On www.safetread.co.uk select
cut to size option and enter your sizes,
or call us on **01206 227 660**.

Cutting Tolerances +/- 3mm.


Maximum single size of Stair Nosing:
3000 x 55 x 55mm.

Installation


A fitting service available if required.



A durable anti-slip solution for high traffic steps.



Ideal for industrial, commercial and public environments.




Highlight step edges and help prevent slips.

For prices, a free sample or to buy online visit: www.SafeTread.co.uk
or call **01206 227 660** to speak to our specialist team.

Stock colours

Please note, colours shown here should be used as a guide only due to varying degrees in monitor colour management.



White RAL 9003




Medium grey RAL 7004



Black RAL 9004



Yellow RAL 1003



Red RAL 3001



Blue RAL 5015



Green RAL 6001



Brown RAL 8028



Buff RAL 1001



Custom colour:
any BS/RAL colour

For prices, a free sample or to buy online visit: www.SafeTread.co.uk
or call **01206 227 660** to speak to our specialist team.

We can install and beautifully finish your stairs and floors with an anti-slip walking surface, keeping you safe.

For customers installing at home, DIY and smaller projects, we offer quick and easy How To Install PDF guides for maintenance, cleaning and installation.

Commercial, industrial and public projects

For business customers and larger projects we recommend our fitting service.

Our teams of fully qualified installers have over 20 years experience and have managed a range of installations from our Anti-Slip Stair and Floor product range, GRP Grating to Industrial Lining and Coatings installations throughout the UK.

The ideal solution for companies that do not have the time, staff available or a facilities management team free to carry out the installation required.


We'll do the hard work for you!

Benefits


- We'll take measurements, plan your project and organise cutting of materials.
- Install to a high standard finish.
- Our teams are fully experienced at fitting to stairs, floors, ramps and platform areas.
- Fully insured and certificated personnel.
- For all substrates.
- Quick installation time
- Over 20 years experience.

How does the installation service work?


- After receiving a brief, our estimator will visit and undertake a free site survey.
- This includes accurate measuring of the site to ensure exact cutting of materials and to avoid wastage.
- Risk assessments and method statements will be supplied before any commencement of work is carried out for your approval, with a recommendation of products most suitable, with your quotation.
- We'll discuss the entire installation procedure and arrange the most convenient time for your installation.



Public footbridge and stairs installation.



Decking strips and Nosings for slippery timber areas.



DDA compliant yellow nosings highlight the step edges.

For prices, a free sample or to buy online visit: www.SafeTread.co.uk
or call **01206 227 660** to speak to our specialist team.