

Designed to cover your existing stairs, Anti-Slip Stair Treads are a quick and cost effective solution to improving safety. Manufactured from high quality GRP incorporating a gritted anti-slip surface.

Ideal for stairs with high footfall and heavily worn steps.

Available in a range of colours and finishes, our stair treads will help you achieve DDA compliance (black or dark grey treads with yellow or white nosing). Made from tough, hard wearing, durable GRP, they are guaranteed for 10 years.

Can be used in conjunction with Stair Riser Plates.

### Our product features:

- Rated extremely low potential for slip.
- Tested anti-slip to BS7976.2.
- 10 year guarantee.
- Quick and easy to install.
- Indoor or outdoor use.
- FREE cut to size service.
- FREE predrilling service.
- FREE matching colour screws.
- Tough, hard wearing and durable GRP - lasts for years.
- Corrosion resistant.
- Impact resistant.
- Light weight.
- UV stable.
- Non metallic.
- Embedded grit for superior performance.
- In Standard Duty, Heavy Duty & Fine Grit.
- Special colours and sizes available to order.
- Manufactured to ISO 9001 and ISO 14001 environmental.

### Benefits:

- Helps create a safer environment.
- Covers existing stairs.
- Can be applied to nearly any substrate.
- Stairs can be used immediately after installation.

### Compliance:


- DDA Compliant (except single colours).

### Our 10 Year Manufacturer's Guarantee:


Should any manufacturing defects occur within 10 years of purchase, we will replace free of charge.



DDA compliant, helps create a safer environment.



Ideal for pedestrian traffic and industrial applications.



Anti-Slip Stair Treads with extra deep treads for landing area.

For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.



## Anti-Slip Stair Treads

### Stock sizes

600 x 345 x 55mm  
750 x 345 x 55mm  
1000 x 345 x 55mm  
1200 x 345 x 55mm  
1500 x 345 x 55mm  
1800 x 345 x 55mm  
2000 x 345 x 55mm  
2400 x 345 x 55mm  
3000 x 345 x 55mm  
3660 x 345 x 55mm

### Thickness

Standard Duty approx. 5mm  
Heavy Duty approx. 6mm  
Fine Grit approx. 4mm

### Weight

Standard Duty approx. 3.68kg/linear metre,  
Heavy Duty approx. 4.36kg/linear metre,  
Fine Grit approx. 3.68kg/linear metre.

### Cut to your sizes - free of charge.

Don't want to cut them yourself?  
We'll cut to your sizes, FREE of charge.

On [www.safetread.co.uk](http://www.safetread.co.uk) select  
cut to size option and enter your sizes,  
or call us on **01206 227 660**.


Cutting Tolerances +/- 3mm.

Maximum single size of Stair Tread:  
3660mm x 345mm x 55mm high (nosing).


### Installation

A fitting service available if required.


**Free**  
cut to size  
service



Fit directly over wood, metal and concrete.



Quick and easy to install, improving stair safety.




Use extra deep Stair Treads for landing areas.

For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.



	Standard Duty Quartz	Heavy Duty ToughGrip	Fine Grit ToughGrip
Anti-slip surface:	Medium Grit	Coarse Grit	Fine Grit
Grit hardness rating:	7/10	9/10	9/10
<b>Slip potential:</b>			
In dry conditions:	Extremely low slip risk	Extremely low slip risk	Extremely low slip risk
In wet conditions:	Extremely low slip risk	Extremely low slip risk	Extremely low slip risk
In greasy conditions:	Low slip risk	Low slip risk	Low slip risk
<b>Environments:</b>	Indoors & outdoors	Indoors & outdoors	Indoors
<b>Ideal for:</b>	<ul style="list-style-type: none"> <li>Wet, frosty and oily conditions.</li> <li>Normal pedestrian traffic, industrial applications.</li> <li>Platforms, staircases, steps, fire escapes, exits and public stairways.</li> </ul>	<ul style="list-style-type: none"> <li>Wet, frosty and oily conditions.</li> <li>Busy pedestrian traffic, industrial applications.</li> <li>Train stations, stadiums, car parks, busy public walkways and stairways.</li> </ul>	<ul style="list-style-type: none"> <li>Wet and oily conditions.</li> <li>Normal pedestrian traffic for less industrial, applications.</li> <li>Easier to clean, with a less aggressive surface.</li> </ul>



For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.




# Anti-Slip Stair Treads

## Colours

Please note, colours shown here should be used as a guide only due to varying degrees in monitor colour management.


### Stock colours: DDA compliant



Black step with  
yellow nosing



Black step with  
white nosing



Dark grey step with  
yellow nosing



Dark grey step with  
white nosing

### Stock colours: non DDA compliant



Black  
RAL 9004



Medium grey  
RAL 7004



Yellow  
RAL 1003



Brown  
RAL 8028



Buff  
RAL 1001

### Non stock colours



Black step with  
grey nosing



Black step with  
orange nosing



Black step with  
stone nosing



Yellow step with  
black nosing



Custom colour  
any BS/RAL colour

For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.





## Anti-Slip Extra Deep Stair Treads

### For stairs deeper than 350mm

Anti-Slip Stair Treads with extra depth for deep steps or stair landing areas.

### Stock sizes

800 x 1200 x 55mm

1200 x 1200 x 55mm

2400 x 1200 x 55mm

### Thickness

Standard Duty approx. 5mm,

Heavy Duty approx. 6mm,

Fine Grit approx. 4mm.

### Weight

Standard duty approx. 8.75kg/linear metre,

Heavy Duty approx. 13.75kg/linear metre,

Fine Grit approx. 8.75kg/linear metre.

### Cut to your sizes - free of charge.

Don't want to cut them yourself?

We'll cut to your sizes, FREE of charge.

On our website, simply select the cut to size option and enter your sizes, or call us on **01206 227 660**.

Cutting tolerances +/- 3mm.

Maximum individual size of extra deep Stair Tread:

2400mm x 1200mm x 55mm (nosing).


### Installation

A fitting service available if required.


**Free**  
cut to size  
service



Extra deep sizes for larger steps and landing areas.



Designed to cover the entire step and landing area.



Stairs and landings can be used immediately after installation.

For prices, a free sample or to buy online visit: **[www.SafeTread.co.uk](http://www.SafeTread.co.uk)**  
or call **01206 227 660** to speak to our specialist team.



## Colourdec Anti-Slip Stair Treads

### Anti-slip Stair Treads - Colourdec blended colours

We've introduced a stunning range of blended multi-colour grit finishes for our anti-slip stair and floor products.

Special blends of multi-coloured grits create a beautiful choice of finishes. Combined with Safe Tread's anti-slip properties, they offer a safer walking surface as well as a highly attractive look to stairs and floors.

### Outstanding slip resistance

All of our non-slip stair and floor products incorporate a gritted surface, ensuring outstanding slip resistance even in wet and greasy conditions. Consistently reducing slips in industrial, commercial and public areas.

Tested anti-slip to BS7976.2 and rated low slip potential.

Available in 10 colours,  
also colours with white nosing or black nosing.

### Cut to your sizes - free of charge.

Don't want to cut them yourself?  
We'll cut to your sizes, FREE of charge.

On [www.safetread.co.uk](http://www.safetread.co.uk) select  
cut to size option and enter your sizes,  
or call us on **01206 227 660**.

Cutting Tolerances +/- 3mm.

Maximum single size of Stair Tread:

3660mm x 345mm x 55mm high (nosing).


**Free**  
cut to size  
service



Colourdec step and nosing option, in 10 colours.



Colourdec step with white nosing option.



Colourdec step with black nosing option.

For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.



### Colourdec blended multi-colour grit finishes, with our screw colour recommendations

Create the best finish with our choice of matching coloured top screws. For interior or exterior use.

Please note, colours shown here should be used as a guide only due to varying degrees in monitor colour management.



Barn owl  
+ light grey screw



Wizard  
+ medium grey screw



Gunmetal  
+ medium grey screw



Dune  
+ buff screws



Harvest  
+ buff screws



Woodland  
+ brown screws



Rustic  
+ brown screws



Bayside  
+ blue screws



Hillside  
+ green screws



Vineyard  
+ red screws

For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.

We can install and beautifully finish your stairs and floors with an anti-slip walking surface, keeping you safe.

For customers installing at home, DIY and smaller projects, we offer quick and easy How To Install PDF guides for maintenance, cleaning and installation.

### Commercial, industrial and public projects

For business customers and larger projects we recommend our fitting service.

Our teams of fully qualified installers have over 20 years experience and have managed a range of installations from our Anti-Slip Stair and Floor product range, GRP Grating to Industrial Lining and Coatings installations throughout the UK.

The ideal solution for companies that do not have the time, staff available or a facilities management team free to carry out the installation required.

We'll do the hard work for you!

### Benefits

- We'll take measurements, plan your project and organise cutting of materials.
- Install to a high standard finish.
- Our teams are fully experienced at fitting to stairs, floors, ramps and platform areas.
- Fully insured and certificated personnel.
- For all substrates.
- Quick installation time
- Over 20 years experience.

### How does the installation service work?


- After receiving a brief, our estimator will visit and undertake a free site survey.
- This includes accurate measuring of the site to ensure exact cutting of materials and to avoid wastage.
- Risk assessments and method statements will be supplied before any commencement of work is carried out for your approval, with a recommendation of products most suitable, with your quotation.
- We'll discuss the entire installation procedure and arrange the most convenient time for your installation.



School stairway installation in progress.



DDA compliant treads applied to stairs and landing areas.



Stairs, ramps and walkways installation completed.

For prices, a free sample or to buy online visit: [www.SafeTread.co.uk](http://www.SafeTread.co.uk)  
or call **01206 227 660** to speak to our specialist team.